

Material Safety Data Sheet

Section 1 - Chemical Product and Company Identification

MSDS Name: 3-Methoxy-1-propanol
Synonyms:
Company Identification: PI Chemicals Ltd.
Room 6-306, Building 2
1341 Pudong South Road
Pudong New Area, Shanghai 200212, China
Telephone Number: 86-21-51389368
Fax Number: 86-21-51389367
Emergency Number: 86-21-51389369

Section 2 - Product Information

Catalog Number: PI-10094
CAS Number: 1589-49-7
MDL Number: MFCD00039550
EC Number: None
Purity: 99.4%

Section 3 - Physical and Chemical Properties

Physical state: Liquid
Color: Colorless
Odor: Not available
Molecular Formula: $C_4H_{10}O_2$
Molecular Weight: 90.12
Freezing/Melting Point: Not available
Boiling Point: 150-152 deg C
Flash Point: 38 deg C (Closed cup)
Autoignition Temperature: Not available
Refractive Index (n_D^{20}): 1.413
Density: 0.942 g/mL at 20 °C(lit.)
Decomposition Temperature: Not available
Solubility: Not available

Section 4 - Hazards Identification

Eye: Causes eye irritation.

<i>Skin:</i>	Causes skin irritation. Harmful if absorbed through the skin.
<i>Ingestion:</i>	May cause irritation of the digestive tract. Toxic if swallowed.
<i>Inhalation:</i>	May be harmful if inhaled. Causes respiratory tract irritation.

Section 5 - First Aid Measures

<i>Eye:</i>	Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.
<i>Skin:</i>	Get medical aid. Flush skin with plenty of water and soap for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid if irritation develops and persists.
<i>Ingestion:</i>	Get medical aid immediately. Wash mouth out with water.
<i>Inhalation:</i>	Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical aid.

Section 6 - Stability and Reactivity

<i>Chemical Stability:</i>	Stable under normal temperatures and pressures.
<i>Materials to avoid:</i>	Strong oxidizing agents.
<i>Conditions to Avoid:</i>	Incompatible materials.
<i>Hazardous Decomposition Products:</i>	Carbon monoxide, carbon dioxide.
<i>Hazardous Polymerization:</i>	Will not occur.

Section 7 - Handling and Storage

<i>Handling:</i>	Avoid breathing dust, vapor, mist, or gas. Keep container tightly closed. Avoid contact with skin and eyes. Wash thoroughly after handling. Mechanical exhaust required.
<i>Storage:</i>	Store in a cool, dry well ventilated place away from sources of heat and incompatible substances. Keep container tightly closed when not in use.

Section 8 - Personal Protection

<i>Eyes:</i>	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
<i>Skin:</i>	Wear appropriate protective gloves to prevent skin exposure.
<i>Clothing:</i>	Wear appropriate protective clothing to prevent skin exposure.
<i>Respirators:</i>	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9 - Fire and Explosion Hazard Data

<i>General Information:</i>	As in any fire, wear a self-contained breathing apparatus, MSHA/NIOSH (approved or equivalent) and protective clothing to prevent contact with skin
-----------------------------	---

and eyes.

Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or appropriate foam.

Section 10 - Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container.

Section 11 - Toxicological Information

RTECS#: CAS#1589-49-7: UB7650000

LD50/LC50: RTECS: CAS#1589-49-7:

LD50

Oral

Rat

5710 mg/kg;

LD50

Skin

Rabbit

5660 ul/kg;

Skin

Rabbit

10 mg

24H

Remarks: Open irritation test;

Skin

Rabbit

20 mg

24H

Remarks: Moderate irritation effect;

Eyes

Rabbit

500 mg

24H

Remarks: Mild irritation effect

Carcinogenicity: 3-Methoxy-1-propanol - Not listed as a carcinogen by ACGIH, IARC, NTP, or CA Prop 65.

Section 12 - Environmental information

Not available

Section 13 - Disposal Consideration

Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state and local environmental regulations.

Section 14 - Transport Information

	IATA	IMO	RID/ADR
<i>Shipping Name:</i>	TOXIC SOLID, ORGANIC, N.O.S.*	TOXIC SOLID, ORGANIC, N.O.S.	TOXIC SOLID, ORGANIC, N.O.S.
<i>Hazard Class:</i>	3	3	3
<i>UN Number:</i>	1987	1987	1987
<i>Packing Group:</i>	III	III	III

Section 15 - Regulatory Information

European/International Regulations

European Labeling in Accordance with EC Directives

Hazard Symbols: Xi

Indication of Danger: Irritant

Risk Phrases:

R 10: Flammable.

R 22: Harmful if swallowed.

R 38: Irritating to the skin.

Safety Phrases:

S 16: Keep away from sources of ignition - No smoking.

S 24/25: Avoid contact with skin and eyes.

S 37: Wear suitable gloves.

WGK (Water Danger/Protection)

CAS#1589-49-7: 3

Canada

CAS#1589-49-7: Not available

US Federal

TSCA

CAS# 1589-49-7 is not listed on the TSCA Inventory. It is for research and development use only.

Section 16 - Additional Information

MSDS Creation Date: March 25, 2006

Update: December 20, 2007

The above information is believed to be accurate and represents the best knowledge available to us currently. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no way shall PI Chemicals, be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, even if PI Chemicals has been advised of the possibility of such damages.